



Breeza® flavored beverage for neutral abdominal/pelvic imaging was designed by a radiologist to overcome the disagreeable taste and texture patients experience in other commonly used distending agents.

A lemon-lime flavored beverage, Breeza is preferred among enterography patients for its flavor and low viscosity

- Preferred by 21 of 23 members of Crohn's Disease Focus Panel¹
- Improved drinking compliance among pediatric patients²
- Reduced nasogastric intubations among enterography patients from 7% to 1%³

We see 15 to 20 patients a month for enterography studies and they prefer the taste of Breeza flavored beverage for neutral abdominal/ pelvic imaging over our previous contrast agent. Children drink it better and hold it down thanks to the lemon-lime flavor. With patients completing the drinking protocol, we can provide a better diagnosis. Our staff can focus on other tasks at hand instead of coaching and cleaning up from the patient getting sick. Knowing we are giving something more palatable to our patients eliminates the risk of falling behind with our exams.

~ MRI Technologist, Baltimore, MD



REF 221

QTY 24-16.9 FL OZ (500 mL) bottles per case *sugar-free, gluten-free*

> Used in CT and MRI with adult and pediatric patients

Call 1.800.233.5539 • Fax 1.800.735.1234 Visit beekley.com • Email info@beekley.com

- 1. Society of Abdominal Radiology's Crohn's Disease Focus Panel (2021)
- 2. Comparison of Two Neutral Oral Contrast Agents in Pediatric Patients: A Prospective Randomized Study
- 3. Comparison of two small bowel distending agents for enterography in pediatric small bowel imaging

Manufactured by Beekley Corporation One Prestige Lane, Bristol, CT 06010-7454 USA Tel: 1.800.233.5539 or +1.860.583.4700 Fax: 1.800.735.1234 beekley.com

ALLERGENS

· Do not drink if allergic to any of the ingredients

USER GUIDANCE

- · Do not mix with another contrast
- Use only under the supervision and direction of a physician Refrigerate prior to use for best taste
- Use by expiration date stamped on bottle cap
 Do not use if tamper-proof seal is separated prior to opening











